★ 密 答 Air



仅限货机 CAO





货物运输条件鉴定书

检查 CNAS IB0071

Certification

for Safe Transport of Chemical Goods

4月1日 新规则

危险品

样品名称: 聚合物锂离子电池组 HKE12-10 12V 10Ah

Sample name: Polymer Li-ion Battery HKE12-10 12V 10Ah

送检单位: 常州华科新能源科技有限公司 Changzhou Huake New Energy Technology Co., Ltd.

生产单位: 常州华科新能源科技有限公司 Changzhou Huake New Energy Technology Co., Ltd.

上海化工研究院检测中心(上海天科化工检测有限公司)

Shanghai Research Institute of Chemical Industry Testing Centre (Shanghai TECH. Chemical Industry Testing Co.,Ltd.)

★ 空运 By Air



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2116101157 Page 1/3

中文 Chinese 英文 English 检单位 nsignor 产单位 ufacturer 法、程序 hod and procedure 品外观 appearance 件信息 information 电池种类 attery type uff the li-polymer	聚合物锂离子电池组 HKE Polymer Li-ion Battery 常州华科新能源科技有限公 Changzhou Huake New Ener 常州华科新能源科技有限公 Changzhou Huake New Ener 国际航空运输协会《危险品规则》 IATA Dangerous Goods Regulati 黑色塑胶外壳 Black Plastics cement she	HKE12-10 12V 10Ah (司 Fgy Technology Co., Ltd. Fgy Technology Co., Ltd. 57版及增补和增补II Fions (DGR) 57th Edition with	Addendum and Addendum II 放置方式
English 检单位 nsignor 产单位 ufacturer 法、程序 hod and procedure 品外观 appearance 件信息 information 电池种类 attery type ed理聚合物电池组 eable Li-polymer	常州华科新能源科技有限公Changzhou Huake New Ener常州华科新能源科技有限公Changzhou Huake New Ener国际航空运输协会《危险品规则》IATA Dangerous Goods Regulati黑色塑胶外壳Black Plastics cement she	京 rgy Technology Co., Ltd. 司 rgy Technology Co., Ltd. り 57版及増补和増补II ions (DGR) 57th Edition with ell	
nsignor 产单位 ufacturer 法、程序 hod and procedure 品外观 appearance 件信息 information 电池种类 attery type ed理聚合物电池组 eable Li-polymer	Changzhou Huake New Ener 常州华科新能源科技有限公 Changzhou Huake New Ener 国际航空运输协会《危险品规则》IATA Dangerous Goods Regulati 黑色塑胶外壳 Black Plastics cement sh	rgy Technology Co.,Ltd. 司 rgy Technology Co.,Ltd. 57版及增补和增补II ions (DGR) 57th Edition with ell	
产単位 ufacturer 法、程序 hod and procedure 品外观 appearance 件信息 information 电池种类 attery type ed理聚合物电池组 eable Li-polymer	Changzhou Huake New Ener 常州华科新能源科技有限公 Changzhou Huake New Ener 国际航空运输协会《危险品规则》IATA Dangerous Goods Regulati 黑色塑胶外壳 Black Plastics cement sh	rgy Technology Co.,Ltd. 司 rgy Technology Co.,Ltd. 57版及增补和增补II ions (DGR) 57th Edition with ell	
ufacturer 法、程序 hod and procedure 品外观 appearance 件信息 information 电池种类 attery type ed理聚合物电池组 eable Li-polymer	常州华科新能源科技有限公 Changzhou Huake New Ener 国际航空运输协会《危险品规则》 IATA Dangerous Goods Regulati 黑色塑胶外壳 Black Plastics cement sh	gy Technology Co.,Ltd. 57版及增补和增补II ions (DGR) 57th Edition with ell	
hod and procedure 品外观 appearance 件信息 information 电池种类 attery type b型聚合物电池组 eable Li-polymer	国际航空运输协会《危险品规则》 IATA Dangerous Goods Regulati 黑色塑胶外壳 Black Plastics cement sh / 型号 Model	》57版及增补和增补II ions (DGR) 57th Edition with ell 容量Capacity	
appearance 件信息 information 电池种类 attery type b型聚合物电池组 eable Li-polymer	Black Plastics cement shows a second shows a secon	容量Capacity	放置方式
information 电池种类 attery type E锂聚合物电池组 eable Li-polymer	Model	容量Capacity /锂含量Li content	放置方式
attery type 巴锂聚合物电池组 eable Li-polymer	Model	容量Capacity /鋰含量Li content	放置方式
包包含 Li-polymer		/锂含重Li content	
battery	HKE1Z-10	120Wh 10Ah	Placement 电池单独运输 Battery only
R项。 liscellaneaous. L空运按照国际 GR) hipping name:Litass or division N Number:UN3480 . 包装要求(Pack d包装说明965第1A ne goods are pack L限货机。 argo Aircraft On 检查日期:	kaging requirements) 部分要求办理。 ckaged according to the Packagi lly.	ing Instruction 965 section	IA.
			(13)
	检查日期:		检查日期: Assue Date: 2016-12-14

批准 Approver: 提口说

审核 Checker:

主检 Appraiser:





货物运输条件鉴定书


Certification for Safe Transport of Chemical Goods

NO. 2116101157 Page 2/3

序号	检查结果及其他事项
No.	Inspection results and other things
1	本报告所述锂电池按照《危险品规则》(57版) 3.9.2.6(e)规定的质量管理体系进行制造。本报告所述锂电池不属于因安全原因召回的锂电池。本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IATA DGR 57th 3.9.2.6(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements ceach applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
3	锂电池完全封装在内包装内,位于坚固的外包装中。完成包装件应满足II级包装的性能要求。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. The completed package should meet the Packing Group II performance requirements.
	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
4	
	每个包装件应贴有9类危险性标签。 每个包装件应贴有"仅限货机"标签。 Each package should be labelled with the Class 9 hazard label. Each package should be labelled with the "Cargo Aircraft Only" label.
5	每个包装件应贴有"仅限货机"标签。 Each package should be labelled with the Class 9 hazard label
5	每个包装件应贴有"仅限货机"标签。 Each package should be labelled with the Class 9 hazard label. Each package should be labelled with the "Cargo Aircraft Only" label. 根据送检单位声明,本报告所述锂离子电池交付运输时,其荷电状态不超过设计额定容量的30%。 Lithium ion cells and batteries should be offered for transport at a state of charge (ScC) not to
5	每个包装件应贴有"仅限货机"标签。 Each package should be labelled with the Class 9 hazard label. Each package should be labelled with the "Cargo Aircraft Only" label. 根据送检单位声明,本报告所述锂离子电池交付运输时,其荷电状态不超过设计额定容量的30%。 Lithium ion cells and batteries should be offered for transport at a state of charge (SoC) pat to

货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods

NO. 2116101157 Page 3/3



Lithium-ion Battery unit Type: HKE12-10 Rated voltage: 12V Rated capacity: 120Wh/10Ah

